

U.S. Patent and Trademark Office
PTO-904
U.S. Patent and Trademark Office
PTO-904

I	{0 0}	{0 1}	{1 0}	{1 0}
				Q
	00	01	03	02
	10	11	13	12
	30	31	33	32
	20	21	23	22
				(10)

Figure 1

	01	02
10	13	
	31	32
20	23	

Figure 2

remove the most protected bit of I

I-value {}	I	{0} {1} {1} {0}
Q-value ()		
	01	00
10	11	(00)
	31	(01)
	30	(11)
20	21	(10)

Figure 3


01-----00
10----|---11 |
| 31----|---30 |
20-----21

Figure 4

remove the least protected bit of I

I-value { }	I	{ 0 } { 0 } { 1 } { 1 }
Q-value { }		Q
	00	(00)
10	11	(01)
30	31	(11)
20	21	(10)

Figure 5



00-----01
10---|-11 |
| 30---|-31 |
20-----21

Figure 6

remove the most protected bit of Q

I-value { }	I	{0 {1 {1 {0
Q-value ()		0} 0} 1} 1}
		Q
	02	01
10	13	(0)
	12	(1)
00	03	(1)
		(0)

Figure 7

02----01
10---|-13 |
| 12--|-11
00-----03

Figure 8

remove the least protected bit of Q

I-value Q-value	{ } ()	I	{ 0 0 }	{ 1 1 }	Q	(0) (0) (1) (1)
			02	01		
			00	03		
			12	11		
			10	13		

Figure 9

02----01
00--|-03 |
| 12--|-11
10----13

Figure 10.

0	0	0	0	1	1	1	1
0	0	1	1	1	0	0	
0	1	1	0	0	1	1	0
00	01	03	02	06	07	05	04
10	11	13	12	16	17	15	14
30	31	33	32	36	37	35	34
20	21	23	22	26	27	25	24
60	61	63	62	66	67	65	64
70	71	73	72	76	77	75	74
50	51	53	52	56	57	55	54
40	41	43	42	46	47	45	44

Figure 11

01	02	07	04
10	13	16	15
31	32	37	34
20	23	26	25
70	61	62	67
	70	73	76
	51	52	57
40	43	46	45

Figure 12

remove the most protected bit of I

I-value { }	I	{0 0} 1}	{0 0} 1}	{1 1} 0}	{1 1} 0}	{0 0} 1}	{0 0} 1}	Q
Q-value ()		01	02	03	00	(000)	(000)	
	10	13	12	11	00	(001)	(001)	
	31	32	33	30		(011)	(011)	
	20	23	22	21		(010)	(010)	
	61	62	63	60		(110)	(110)	
	70	73	72	71		(111)	(111)	
	51	52	53	50		(101)	(101)	
	40	43	42	41		(100)	(100)	

Figure 13

01	---	-02	---	-03	---	-00
10	--	-13	---	-12	---	-11
		31		32		30
		20		23		21
				61		60
					70	
						71
						51
						52
						53
						54
						41
						42
						43
						44

Figure 14

remove the second most protected bit of I

Figure 15

01	---	00	---	03	---	02
10	--	-11	--	-12	--	-13
	31	30		33		32
20		21	22	23		
	61	60	63	62		
70		71	72	73		
	51	50	53	52		-43
40	--	-41	--	-42	--	-43

Figure 16

remove the least protected bit of I

I-value	{}	I	{0 0} 0}	{0 1} 0}	{0 1} 1}	{1 1} 1}	{1 1} 0}	{1 0} 0}
I-value	{}	I	00	01	03	02	(000)	
Q-value	{}		10	11	13	12	(001)	
			30	31	33	32	(011)	
			20	21	23	22	(010)	
			60	61	63	62	(110)	
			70	71	73	72	(111)	
			50	51	53	52	(101)	
			40	41	43	42	(100)	

Figure 17

00-----01-----03-----02
10-- ---11---- ---13---- ---12
30 31 33 32
20 21 23 22
60 61 63 62
70 71 73 72
50-----51-----53----- 52
40-----41-----43----- 42

Figure 18

remove the most protected bit of Q

```
I-value {} I {0 {0 {0 {1 {1 {1 {1 {1
Q-value () 0 0 1 1 1 1 0
0} 1} 1} 0} 0} 1} 1} 0} Q
```

01	02	07	04	(00)
10	13	16	15	(01)
31	32	37	34	(11)
20	23	26	25	(10)
21	22	27	24	(10)
30	33	36	35	(11)
11	12	17	14	(01)
00	03	06	05	(00)

Figure 19

01-----02-----07-----04
10--- ---13-----16-----15
31 32 37 34
20 23 26 25
21 22 27 24
30 33 36 35
11-----12-----17-----14
00-----03-----06-----05

Figure 20

remove the second most protected bit of Q

Figure 21

01	---	02	---	07	---	04
10	--	-13	---	-16	---	-15
		11		12		14
00		03		06		05
		21		22		24
30		33		36		35
		31		-32		-37
20	---	-23	---	-26	---	-25

Figure 22.

remove the least protected bit of Q

I-value {}	I	{0 0 0 0 0}	{0 1 1 1 1}	{1 1 1 0 0}	{1 1 1 0 0}
Q-value {}	Q	{0 0 0 0 0}	{1 1 1 1 1}	{0 0 0 0 0}	{0 0 0 0 0}
00	01	02	07	04	(00)
10	11	12	17	14	(01)
30	31	32	37	34	(01)
20	21	22	27	24	(10)
	23	26	25		(10)

Figure 23

01	---	02	---	07	---	04
00	--	03	--	06	--	05
	11		12		17	
10		13		16		15
	31		32		37	
30		33		36		35
	21	--	22	--	27	--
20	--	23	--	26	--	25

Figure 24

印譜卷之二

Figure 25

10	01	02	07	04	0D	0E	0B	08
31	13	32	16	15	1C	1F	1A	19
20	23	26	37	34	3D	3E	3B	38
61	62	67	25	2C	2F	2A	29	
70	73	76	75	64	6D	6E	6B	68
51	52	57	54	7C	7F	7A	79	
40	43	46	45	54	5D	5E	5B	58
C1	C2	C7	C4	CD	CE	CB	C8	
D0	D3	D6	D5	DC	DF	DA	D9	
F1	F2	F7	F4	FD	FE	FB	F8	
E0	E3	E6	E5	EC	EF	EA	E9	
A1	A2	A7	A4	AD	AE	AB	A8	
B0	B3	B6	B5	BC	BF	BA	B9	
91	92	97	94	9D	9E	9B	98	
80	83	86	85	8C	8F	8A	89	

Figure 26

remove the most protected bit of I

I-value	{ } I	{ 0 }	{ 0 }	{ 0 }	{ 1 }	{ 1 }	{ 1 }	{ 1 }	{ 1 }	{ 1 }	{ 1 }	{ 0 }	{ 0 }	{ 0 }	{ 0 }		
Q-value	()	0	0	1	1	1	0	0	0	0	1	1	1	0	0		
	0{ }	1{ }	1{ }	0{ }	1{ }	1{ }	0{ }	0{ }	1{ }	1{ }	0{ }	1{ }	1{ }	0{ }	1{ }		
		01	02	07	04	05	06	07	05	06	03	00	(0000)	(0001)	(0011)		
	10	13	16	15	14	17	12	11	12	11	11	11	(0001)	(0010)	(0110)		
	31	32	37	34	35	36	33	30	36	33	33	30	(0011)	(0010)	(0110)		
	20	23	26	25	24	27	22	21	27	22	21	21	(0010)	(0110)	(1110)		
	61	62	67	64	65	66	63	60	65	66	63	60	(0110)	(1110)	(1111)		
	70	73	76	75	74	77	72	71	77	72	71	71	(0111)	(0101)	(0100)		
	51	52	57	54	55	56	53	50	55	56	53	50	(0101)	(0100)	(1100)		
	40	43	46	45	44	47	42	41	47	42	41	41	(0100)	(1101)	(1111)		
	C1	C2	C7	C4	C5	C6	C3	C0	C6	C5	C4	C3	C0	(1100)	(1110)		
	D0	D3	D6	D5	D4	D7	D2	D1	D7	D6	D5	D4	D3	D0	(1101)	(1111)	
	F1	F2	F7	F4	F5	F6	F3	F0	F6	F5	F4	F3	F0	(1111)	(1110)	(1010)	
	E0	E3	E6	E5	E4	E7	E2	E1	E7	E6	E5	E4	E3	E0	(1110)	(1011)	
	A1	A2	A7	A4	A5	A6	A3	A0	A6	A5	A4	A3	A0	(1010)	(1011)	(1001)	
	B0	B3	B6	B5	B4	B7	B2	B1	B7	B6	B5	B4	B3	B0	(1011)	(1001)	(1000)
	80	83	86	85	84	87	82	81	84	85	86	83	80	(1000)	(1001)	(1000)	

Figure 27

10	-	13	-	16	-	14	-	17	-	12	-	11	-	00	
	31		32		37		34		35		36		33		30
20		23		26		25		24		27		22		21	
	61		62		67		64		65		66		63		60
70		73		76		75		74		77		72		71	
	51		52		57		54		55		56		53		50
40		43		46		45		44		47		42		41	
	C1		C2		C7		C4		C5		C6		C3		C0
D0		D3		D6		D5		D4		D7		D2		D1	
	F1		F2		F7		F4		F5		F6		F3		F0
E0		E3		E6		E5		E4		E7		E2		E1	
	A1		A2		A7		A4		A5		A6		A3		A0
B0		B3		B6		B5		B4		B7		B2		B1	
	91	-	92	-	97	-	94	-	95	-	96	-	93	-	90
80	-	83	-	86	-	85	-	84	-	87	-	82	-	81	-

Figure 28

remove the second most protected bit of I

Figure 29

01-----02-----03-----00-----05-----06-----07-----04
10--| 13----12----11----14----17----16----15 |
| 31 32 33 30 35 36 37 | 34
20 | 23 22 21 24 27 26 25 |
| 61 62 63 60 65 66 67 | 64
70 | 73 72 71 74 77 76 75 |
| 51 52 53 50 55 56 57 | 54
40 | 43 42 41 44 47 46 45 |
| C1 C2 C3 C0 C5 C6 C7 | C4
D0 | D3 D2 D1 D4 D7 D6 D5 |
| F1 F2 F3 F0 F5 F6 F7 | F4
E0 | E3 E2 E1 E4 E7 E6 E5 |
| A1 A2 A3 A0 A5 A6 A7 | A4
B0 | B3 B2 B1 B4 B7 B6 B5 |
| 91---92---93---90---95---96---97---94 |
80---83---82---81---84---87---86---85 |

Figure 30

remove the third most protected bit of I

Figure 31

01	---	00	---	03	---	02	---	07	---	06	---	05	---	04	
10	--	11	--	12	--	13	--	16	--	17	--	14	--	15	
	31		30		33		32		37		36		35		
20		21		22		23		26		27		24		25	
	61		60		63		62		67		66		65		
70		71		72		73		76		77		74		75	
	51		50		53		52		57		56		55		
40		41		42		43		46		47		44		45	
	C1		C0		C3		C2		C7		C6		C5		
D0		D1		D2		D3		D6		D7		D4		D5	
	F1		F0		F3		F2		F7		F6		F5		
E0		E1		E2		E3		E6		E7		E4		E5	
	A1		A0		A3		A2		A7		A6		A5		
B0		B1		B2		B3		B6		B7		B4		B5	
	91	--	90	--	93	--	92	--	97	--	96	--	95	--	94
80	--	81	--	82	--	83	--	86	--	87	--	84	--	85	

Figure 32

remove the least protected bit of I

```

I-value {{I}}
Q-value ()

```

	00	01	03	02	06	07	05	04	(0000)
10	11	13	12	16	17	15	14		(0001)
30	31	33	32	36	37	35	34		(0011)
20	21	23	22	26	27	25	24		(0010)
60	61	63	62	66	67	65	64		(0110)
70	71	73	72	76	77	75	74		(0111)
50	51	53	52	56	57	55	54		
40	41	43	42	46	47	45	44		
C0	C1	C3	C2	C6	C7	C5	C4		
D0	D1	D3	D2	D6	D7	D5	D4		
F0	F1	F3	F2	F6	F7	F5	F4		
E0	E1	E3	E2	E6	E7	E5	E4		
A0	A1	A3	A2	A6	A7	A5	A4		
B0	B1	B3	B2	B6	B7	B5	B4		
90	91	93	92	96	97	95	94		
80	81	83	82	86	87	85	84		

α

Figure 33

10	-	-01	-03	-02	-06	-07	-05	-04
	30	31	33	32	36	37	35	34
20		21	23	22	26	27	25	24
	60	61	63	62	66	67	65	64
70		71	73	72	76	77	75	74
	50	51	53	52	56	57	55	54
40		41	43	42	46	47	45	44
	C0	C1	C3	C2	C6	C7	C5	C4
D0		D1	D3	D2	D6	D7	D5	D4
	F0	F1	F3	F2	F6	F7	F5	F4
E0		E1	E3	E2	E6	E7	E5	E4
	A0	A1	A3	A2	A6	A7	A5	A4
B0		B1	B3	B2	B6	B7	B5	B4
	90	-91	-93	-92	-96	-97	-95	-94
80	-	-81	-83	-82	-86	-87	-85	-84

Figure 34

remove the most protected bit of Q

Figure 35

01	-	02	-	07	-	04	-	0D	-	0E	-	0B	-	08	
10	-	13	-	16	-	15	-	1C	-	1F	-	1A	-	19	
	31	32	37	34	3D	3E	3B	3	38						
20		23	26	25	2C	2F	2A	29							
	61	62	67	64	6D	6E	6B	68							
70		73	76	75	7C	7F	7A	79							
	51	52	57	54	5D	5E	5B	58							
40		43	46	45	4C	4F	4A	49							
	41	42	47	44	4D	4E	4B	48							
50		53	56	55	5C	5F	5A	59							
	71	72	77	74	7D	7E	7B	78							
60		63	66	65	6C	6F	6A	69							
	21	22	27	24	2D	2E	2B	28							
30		33	36	35	3C	3F	3A	39							
	11	-	12	-	17	-	14	-	1D	-	1E	-	1B	-	18
00	-	03	-	06	-	05	-	0C	-	0F	-	0A	-	09	

Figure 36

remove the second most protected bit of Q

I-value	{ } I	{ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 }	{ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 }	{ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 }	{ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 }	{ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 }	{ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 }	
Q-value	()	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	0} 1} 1} 0} 0} 1} 1} 0} 1} 1} 0} 0} 1} 1} 0} 0} 1} 1} 0}	0} 1} 1} 0} 0} 1} 1} 0} 1} 1} 0} 0} 1} 1} 0} 0} 1} 1} 0}	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	01	02	07	04	0D	0E	0B	08
10	13	16	15	1C	1F	1A	19	(000)
31	32	37	34	3D	3E	3B	38	(001)
20	23	26	25	2C	2F	2A	29	(011)
21	22	27	24	2D	2E	2B	28	(010)
30	33	36	35	3C	3F	3A	39	(011)
11	12	17	14	1D	1E	1B	18	(001)
00	03	06	05	0C	0F	0A	09	(000)
41	42	47	44	4D	4E	4B	48	(100)
50	53	56	55	5C	5F	5A	59	(101)
71	72	77	74	7D	7E	7B	78	(111)
60	63	66	65	6C	6F	6A	69	(110)
61	62	67	64	6D	6E	6B	68	(110)
70	73	76	75	7C	7F	7A	79	(111)
51	52	57	54	5D	5E	5B	58	(101)
40	43	46	45	4C	4F	4A	49	(100)

Figure 37

01-----02-----07-----04-----0D-----0E-----0B-----08
10---|-13---|-16---|-15---|-1C---|-1F---|-1A---|-19---|
| 31 32 37 34 3D 3E 3B 38
20 | 23 26 25 2C 2F 2A 29 |
| 21 22 27 24 2D 2E 2B 28 |
30 | 33 36 35 3C 3F 3A 39 |
| 11 12 17 14 1D 1E 1B 18 |
00 | 03 06 05 0C 0F 0A 09 |
| 41 42 47 44 4D 4E 4B 48 |
50 | 53 56 55 5C 5F 5A 59 |
| 71 72 77 74 7D 7E 7B 78 |
60 | 63 66 65 6C 6F 6A 69 |
| 61 62 67 64 6D 6E 6B 68 |
70 | 73 76 75 7C 7F 7A 79 |
| 51---|52---|57---|54---|5D---|5E---|5B---|58---|
40-----43-----46-----45-----4C-----4F-----4A-----49

Figure 38

remove the third most protected bit of Q

Figure 39

01-----02-----07-----04-----0D-----0E-----0B-----08
10---| 13----| 16----| 15----| 1C----| 1F----| 1A----| 19 |
| 11 | 12 | 17 | 14 | 1D | 1E | 1B | 18 |
00 | 03 | 06 | 05 | 0C | 0F | 0A | 09 |
| 21 | 22 | 27 | 24 | 2D | 2E | 2B | 28 |
30 | 33 | 36 | 35 | 3C | 3F | 3A | 39 |
| 31 | 32 | 37 | 34 | 3D | 3E | 3B | 38 |
20 | 23 | 26 | 25 | 2C | 2F | 2A | 29 |
| 61 | 62 | 67 | 64 | 6D | 6E | 6B | 68 |
70 | 73 | 76 | 75 | 7C | 7F | 7A | 79 |
| 71 | 72 | 77 | 74 | 7D | 7E | 7B | 78 |
60 | 63 | 66 | 65 | 6C | 6F | 6A | 69 |
| 41 | 42 | 47 | 44 | 4D | 4E | 4B | 48 |
50 | 53 | 56 | 55 | 5C | 5F | 5A | 59 |
| 51 | 52 | 57 | 54 | 5D | 5E | 5B | 58 |
40-----43-----46-----45-----4C-----4F-----4A-----49 |

Figure 40

remove the least protected bit of Q

Figure 41

01-----02-----07-----04-----0D-----0E-----0B-----08
00--|---03-----06-----05-----0C-----0F-----0A-----09 |
| 11 12 17 14 1D 1E 1B 18
10 | 13 16 15 1C 1F 1A 19 |
| 31 32 37 34 3D 3E 3B 38 |
30 | 33 36 35 3C 3F 3A 39 |
| 21 22 27 24 2D 2E 2B 28 |
20 | 23 26 25 2C 2F 2A 29 |
| 61 62 67 64 6D 6E 6B 68 |
60 | 63 66 65 6C 6F 6A 69 |
| 71 72 77 74 7D 7E 7B 78 |
70 | 73 76 75 7C 7F 7A 79 |
| 51 52 57 54 5D 5E 5B 58 |
50 | 53 56 55 5C 5F 5A 59 |
| 41-----42-----47-----44-----4D-----4E-----4B-----48 |
40-----43-----46-----45-----4C-----4F-----4A-----49 |

Figure 42




Figure 43




Figure 44